NITRAS SAFETY

// ENSURESAFETY

2500 // GUNOVA

Protective aprons
PPE risk category III



For food contact
Strong and resistant PVC foil
Reinforced and welded in plastic eyelets

gunova MADE IN GERMANY

VERSION 1.2.4 | 250224

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

2500 // GUNOVA

Shell fabric:	PVC foil, black
Lining:	-
Size(s):	One size
Packaging unit:	10 piece(s)
Certification:	EN ISO 13688, EN 14605

NITRAS GUNOVA, chemical protective apron, S 3/S, black (colour code: 1000), for food contact, made of strong and resistant PVC foil, without lining, with reinforced and welded in plastic eyelets, neck and side ribbon made of polyester drill, size 80 x 100 cm, thickness 0.3 mm, type PB [3], type PB [4] Made in Germany, PPE risk category III

EN ISO 13688

EN 14605

Type PB [3]

gunova MADE IN GERMANY

Industries

- Craft
- Building / Construction
- Cleaning / Facility management
- Food industry

Advantages

- \+ For food contact
- \+ Strong and resistant PVC foil
- \+ Reinforced and welded in plastic eyelets



VERSION 2.1 | 2023

DISTRIBUIDOR OFICIAL

ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

Performance values

EN 14605:2005 + A1:2009	Test parameter	Performance levels	Test result
 Type PB [3]	Sodium hydroxide 40% (permeation time in minutes)	-	> 480

VERSION 1.2.4 | 250224

Additional information


Do not wash


Do not bleach


Do not tumble dry


Do not iron


Do not dry clean

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
One size		4059904072534	0,82 m	0,13 m	0,05 m	2,8 kg	65

Customs tariff number: 39262000000
Country of origin: Germany

VERSION 1.2.4 | 250224

NITRAS SAFETY

// ENSURESAFETY

2501 // GUNOVA

Protective aprons
PPE risk category III



For food contact
Strong and resistant PVC foil
Reinforced and welded in plastic eyelets

gunova MADE IN GERMANY

VERSION 1.2.4 | 250226

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

2501 // GUNOVA

Shell fabric:	PVC foil, black
Lining:	-
Size(s):	One size
Packaging unit:	10 piece(s)
Certification:	EN ISO 13688, EN 14605

NITRAS GUNOVA, chemical protective apron, S 3/M, black (colour code: 1000), for food contact, made of strong and resistant PVC foil, without lining, with reinforced and welded in plastic eyelets, neck and side ribbon made of polyester drill, size 90 x 110 cm, thickness 0.3 mm, type PB [3], type PB [4] Made in Germany, PPE risk category III

EN ISO 13688

EN 14605

Type PB [3]

gunova MADE IN GERMANY

Industries

- Craft
- Building / Construction
- Cleaning / Facility management
- Food industry

Advantages

- \+ For food contact
- \+ Strong and resistant PVC foil
- \+ Reinforced and welded in plastic eyelets



DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

Performance values

EN 14605:2005 + A1:2009	Test parameter	Performance levels	Test result
 Type PB [3]	Sodium hydroxide 40% (permeation time in minutes)	-	> 480

VERSION 1.2.4 | 250226

Additional information


Do not wash


Do not bleach


Do not tumble dry


Do not iron


Do not dry clean

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
One size		4059904072558	0,89 m	0,13 m	0,04 m	3,6 kg	60

Customs tariff number: 39262000000
Country of origin: Germany

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

NITRAS SAFETY

// ENSURESAFETY

2502 // GUNOVA

Protective aprons
PPE risk category III



For food contact
Strong and resistant PVC foil
Reinforced and welded in plastic eyelets

gunova MADE IN GERMANY

VERSION 1.2.4 | 250226

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

2502 // GUNOVA

Shell fabric:	PVC foil, black
Lining:	-
Size(s):	One size
Packaging unit:	10 piece(s)
Certification:	EN ISO 13688, EN 14605

NITRAS GUNOVA, chemical protective apron, S 3/L, black (colour code: 1000), for food contact, made of strong and resistant PVC foil, without lining, with reinforced and welded in plastic eyelets, neck and side ribbon made of polyester drill, size 90 x 120 cm, thickness 0.3 mm, type PB [3], type PB [4] Made in Germany, PPE risk category III

EN ISO 13688

EN 14605

Type PB [3]

gunova MADE IN GERMANY

Industries

- Craft
- Building / Construction
- Cleaning / Facility management
- Food industry

Advantages

- \+ For food contact
- \+ Strong and resistant PVC foil
- \+ Reinforced and welded in plastic eyelets



DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

Performance values

EN 14605:2005 + A1:2009	Test parameter	Performance levels	Test result
 Type PB [3]	Sodium hydroxide 40% (permeation time in minutes)	-	> 480

VERSION 1.2.4 | 250226

Additional information


Do not wash


Do not bleach


Do not tumble dry


Do not iron


Do not dry clean

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
One size		4059904072572	0,93 m	0,14 m	0,04 m	3,5 kg	60

Customs tariff number: 39262000000
Country of origin: Germany

VERSION 1.2.4 | 250226

NITRAS SAFETY

// ENSURESAFETY

2503 // GUNOVA

Protective aprons
PPE risk category III



For food contact
Strong and resistant PVC foil
Reinforced and welded in plastic eyelets

gunova MADE IN GERMANY

VERSION 1.2.4 | 250226

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

2503 // GUNOVA

Shell fabric:	PVC foil, black
Lining:	-
Size(s):	One size
Packaging unit:	10 piece(s)
Certification:	EN ISO 13688, EN 14605

NITRAS GUNOVA, chemical protective apron, S 5/S, black (colour code: 1000), for food contact, made of strong and resistant PVC foil, without lining, with reinforced and welded in plastic eyelets, neck and side ribbon made of polyester drill, size 80 x 100 cm, thickness 0.5 mm, type PB [3], type PB [4] Made in Germany, PPE risk category III

EN ISO 13688

EN 14605

Type PB [3]

gunova MADE IN GERMANY

Industries

- Craft
- Building / Construction
- Cleaning / Facility management
- Food industry

Advantages

- \+ For food contact
- \+ Strong and resistant PVC foil
- \+ Reinforced and welded in plastic eyelets



DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

Performance values

EN 14605:2005 + A1:2009	Test parameter	Performance levels	Test result
 Type PB [3]	Sodium hydroxide 40% (permeation time in minutes)	-	> 480

VERSION 1.2.4 | 250226

Additional information


Do not wash


Do not bleach


Do not tumble dry


Do not iron


Do not dry clean

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
One size		4059904072596	0,8 m	0,13 m	0,06 m	4,5 kg	60

Customs tariff number: 39262000000
Country of origin: Germany

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

NITRAS SAFETY

// ENSURESAFETY

2504 // GUNOVA

Protective aprons
PPE risk category III



For food contact
Strong and resistant PVC foil
Reinforced and welded in plastic eyelets

gunova MADE IN GERMANY

VERSION 1.2.4 | 250226

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

2504 // GUNOVA

Shell fabric:	PVC foil, black
Lining:	-
Size(s):	One size
Packaging unit:	10 piece(s)
Certification:	EN ISO 13688, EN 14605

NITRAS GUNOVA, chemical protective apron, S 5/M, black (colour code: 1000), for food contact, made of strong and resistant PVC foil, without lining, with reinforced and welded in plastic eyelets, neck and side ribbon made of polyester drill, size 90 x 110 cm, thickness 0.5 mm, type PB [3], type PB [4] Made in Germany, PPE risk category III

EN ISO 13688

EN 14605

Type PB [3]

gunova MADE IN GERMANY

Industries

- Craft
- Building / Construction
- Cleaning / Facility management
- Food industry

Advantages

- \+ For food contact
- \+ Strong and resistant PVC foil
- \+ Reinforced and welded in plastic eyelets



DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

Performance values

EN 14605:2005 + A1:2009	Test parameter	Performance levels	Test result
 Type PB [3]	Sodium hydroxide 40% (permeation time in minutes)	-	> 480

VERSION 1.2.4 | 250226

Additional information


Do not wash


Do not bleach


Do not tumble dry


Do not iron


Do not dry clean

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
One size		4059904072619	0,92 m	0,14 m	0,06 m	6 kg	65

Customs tariff number: 39262000000
Country of origin: Germany

VERSION 1.2.4 | 250226

NITRAS SAFETY

// ENSURESAFETY

2505 // GUNOVA

Protective aprons
PPE risk category III



For food contact
Strong and resistant PVC foil
Reinforced and welded in plastic eyelets

gunova MADE IN GERMANY

VERSION 1.2.4 | 250226

DISTRIBUIDOR OFICIAL
ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

2505 // GUNOVA

Shell fabric:	PVC foil, black
Lining:	-
Size(s):	One size
Packaging unit:	10 piece(s)
Certification:	EN ISO 13688, EN 14605

NITRAS GUNOVA, chemical protective apron, S 5/LL, black (colour code: 1000), for food contact, made of strong and resistant PVC foil, without lining, with reinforced and welded in plastic eyelets, neck and side ribbon made of polyester drill, size 100 x 120 cm, thickness 0.5 mm, type PB [3], type PB [4] Made in Germany, PPE risk category III

EN ISO 13688

EN 14605

Type PB [3]

gunova

MADE IN GERMANY

Industries

- Craft
- Building / Construction
- Cleaning / Facility management
- Food industry

Advantages

- For food contact
- Strong and resistant PVC foil
- Reinforced and welded in plastic eyelets



VERSION 1.2.4 | 250226

DISTRIBUIDOR OFICIAL

ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®

Performance values

EN 14605:2005 + A1:2009	Test parameter	Performance levels	Test result
 Type PB [3]	Sodium hydroxide 40% (permeation time in minutes)	-	> 480

VERSION 1.2.4 | 250226

Additional information


Do not wash


Do not bleach


Do not tumble dry


Do not iron


Do not dry clean

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
One size		4059904072633	1,03 m	0,16 m	0,05 m	7 kg	60

Customs tariff number: 39262000000
Country of origin: Germany

VERSION 1.2.4 | 250226